

CERTIFICATE

SKGIKOB.010279.03.EN

Issued: 07-06-2017
Valid until: 24-11-2021

Replaces: SKGIKOB.010279.02.EN
Issued: 16-12-2016



Certificateholder

M & C Protect BV
Aalsbergen 20a
6942 SE Didam
T: +31 (0)316 292 888
E: info@m-c.eu
I: www.m-c.eu

Certificate of conformity

Declaration of SKG-IKOB

This certificate applies to the construction product

CYLINDER FOR LOCKS

as specified in the attached appendix placed on the market under the name or trade mark of the holder of this certificate and produced by the holder of this certificate or for the holder of this certificate in the manufacturing plant(s) if mentioned above.

The product is subjected to the Internal Quality System (IQS) of the holder of this certificate with respect to the model specifications and product designations. SKG-IKOB issues this certificate of conformity of the product based on:

- I Initial Type Testing of the product;
- II Initial inspection of the manufacturing plant and the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for a Certificate of conformity and the standard as mentioned beneath;
- III Continuous surveillance, assessment and evaluation of the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for a Certificate of conformity and the standard as mentioned beneath.

This certificate attests that products, produced by or on behalf of the holder of this certificate, delivered under type- and/or article number as mentioned in the annex meet the classification(s) according to:

EN 1303: 2015

This certificate was first issued on 24-11-2016 and will remain valid until the date as mentioned at this certificate provided that the test methods and/or factory production control requirements included in the standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

For SKG-IKOB

A handwritten signature in blue ink, appearing to be 'H.A.J. van Dartel', written over a horizontal line.

ir. H.A.J. van Dartel
Certification manager

The users of this certificate are advised to verify at www.skgikob.nl if this certificate is still valid and actual.
This certificate consists of 2 pages.

CERTIFICATE

M & C Protect BV
Number: SKGIKOB.010279.03.EN

Page 2 of 2

Annex 1

CYLINDER FOR LOCKS

Article	Specification	Classification according to EN1303:2015	SKG-IKOB ITT (reportnr.)								
MC-CASA-3232	double vertical key profile: 1 row of 5 mechanical operated detainers + 1 row of 5 mechanical operated pins + 1 sidebar cylinder body: brass with various coatings 17 mm profile from 32,5 mm in various extensions per 5 mm 1 steel bolt M5, length ≥ backset + 10 mm	<table border="1"> <tr> <td>1</td> <td>6</td> <td>0</td> <td>A</td> <td>0</td> <td>A</td> <td>4</td> <td>A¹⁾</td> </tr> </table> <p>¹⁾ Performance in combination with cylinder mortice locks and security furniture.</p>	1	6	0	A	0	A	4	A ¹⁾	424.322.01
1	6	0	A	0	A	4	A ¹⁾				
Condor: MC-C-3232, MC-C-3210	modular system single parts horizontal key profile: 1 row of 5 mechanical operated detainers + 1 row of 5 mechanical operated pins + 1 sidebar cylinder body: brass with various coatings 17 mm profile from 32,5 mm in various extensions per 5 mm 1 steel bolt M5, length ≥ backset + 10 mm	<table border="1"> <tr> <td>1</td> <td>6</td> <td>0</td> <td>A</td> <td>0</td> <td>A¹⁾</td> <td>6</td> <td>D²⁾</td> </tr> </table> <p>¹⁾ Achieved corrosion resistance: grade 5 / 480 hours. (EN 1670: 2007/ AC: 2008) ²⁾ Performance in combination with cylinder mortice locks and security furniture.</p>	1	6	0	A	0	A ¹⁾	6	D ²⁾	424.323.03
1	6	0	A	0	A ¹⁾	6	D ²⁾				
Condor: MC-C-K3232-1	modular system single parts, 1 with push-turnknob OR turnknob horizontal key profile: 1 row of 5 mechanical operated detainers + 1 row of 5 mechanical operated pins + 1 sidebar cylinder body: brass with various coatings 17 mm profile from 32,5 mm in various extensions per 5 mm 1 steel bolt M5, length ≥ backset + 10 mm	<table border="1"> <tr> <td>1</td> <td>6</td> <td>0</td> <td>A</td> <td>0</td> <td>A¹⁾</td> <td>6</td> <td>D²⁾</td> </tr> </table> <p>¹⁾ Achieved corrosion resistance: grade 5 / 480 hours. (EN 1670: 2007/ AC: 2008) ²⁾ Performance in combination with cylinder mortice locks and security furniture + anti manipulation supply by standard type</p>	1	6	0	A	0	A ¹⁾	6	D ²⁾	424.323.04
1	6	0	A	0	A ¹⁾	6	D ²⁾				
Matrix: MC-M-3232, MC-M-3210	modular system single parts vertical key profile: 1 row of 5 mechanical operated detainers + 1 row of 5 mechanical operated pins + 1 sidebar cylinder body: brass with various coatings 17 mm profile from 32,5 mm in various extensions per 5 mm 1 steel bolt M5, length ≥ backset + 10 mm	<table border="1"> <tr> <td>1</td> <td>6</td> <td>0</td> <td>A</td> <td>0</td> <td>A¹⁾</td> <td>6</td> <td>D²⁾</td> </tr> </table> <p>¹⁾ Achieved corrosion resistance: grade 5 / 480 hours. (EN 1670: 2007/ AC: 2008) ²⁾ Performance in combination with cylinder mortice locks and security furniture.</p>	1	6	0	A	0	A ¹⁾	6	D ²⁾	424.323.05
1	6	0	A	0	A ¹⁾	6	D ²⁾				
Matrix: MC-M-K3232-1	modular system single parts, 1 with push-turnknob OR turnknob vertical key profile: 1 row of 5 mechanical operated detainers + 1 row of 5 mechanical operated pins + 1 sidebar cylinder body: brass with various coatings 17 mm profile from 32,5 mm in various extensions per 5 mm 1 steel bolt M5, length ≥ backset + 10 mm	<table border="1"> <tr> <td>1</td> <td>6</td> <td>0</td> <td>A</td> <td>0</td> <td>A¹⁾</td> <td>6</td> <td>D²⁾</td> </tr> </table> <p>¹⁾ Achieved corrosion resistance: grade 5 / 480 hours (EN 1670: 2007/ AC: 2008) ²⁾ Performance in combination with cylinder mortice locks and security furniture + anti manipulation supply by standard type</p>	1	6	0	A	0	A ¹⁾	6	D ²⁾	424.323.06
1	6	0	A	0	A ¹⁾	6	D ²⁾				